Product Specification

Product Model: LA120V07

Product Specification



Product Features

- Built-in 2*30W audio system;
- Built-in video processing function;
- Support frame rate conversion function;
- Support remote control via mobile devices;
- Support wireless Screen Sharing Function;
- ◆ Support Bluetooth 3.0 Function;
- ◆ Support various scene modes for different application scenarios;
- Support automatic brightness adjustment;
- ◆ Overall standby power consumption≤0.5W;
- Fully front access and hot swapping available;
- ◆ Support Wi-Fi dual frequency 2.4G/5G;
- ◆ Support adjustment modes via Wi-Fi, network cable and USB connection;
- Built-in Android 9.0 system and Apps;
- All-in-one ultra-slim and lightweight design,
- ◆ Built-in RS232 and RS485 interfaces can realize centralized control function
- ◆ Meet the RoHS directive requirements both in China and EU.

Product Parameter Overall Parameter Size 120 inch Aspect Ratio 16:9 Pixel Pitch (mm) 1.3 Resolution 1920*1080 Overall Size (L*H) 2678*1616mm Display Area (L*H) 2664*1499mm Screen Thickness 28.5mm Net Weight 90kg(wall-mounting bar and stand not included) Recommended Viewing Distance ≥2.6m Maintenance Mode Front Access Installation Mode Stand, Wall-mounting **Optical Parameter** 100-550cd/m²(Adjustable) **Brightness** Refresh Rate 1920/3840Hz **Gray Scale** 13-16bit Contrast 6500:1 **Color Temperature** 2300-9300K (adjustable) Viewing Angle Horizontal 170°, Vertical 170° LED Lifespan ≥100,000hrs

Electrical Parameter	
Operation Voltage	100-240VAC 50/60Hz
Standby Power Average Power Consumption of	≤0.5W
Overall Unit Maximum Power Consumption of	0.52KW
Overall Unit	1.53KW
System Parameter	
Operating System	Android 9.0
CPU	Dual Cortex-A72 large core + four Cortex-A53 small core, frequency 2.0GHz
RAM	4GB
Storage	32GB
Media Format	Support mainstream video format such as MPEG1, MPEG2, MPEG4, WMV, MKV, TS, and flv; Support audio formats such as MP3; Support JPG, JPEG, BMP, PNG, GIF and other image format.
Environmental Parameter	
Operation Temperature	-10℃-40℃
Operation Humidity	10%-80%RH No condensation

I/O Ports

Туре	QTY	
HDMI 2.0 Input (support 4K)	3 (2 internal, 1 external)	
HDMI 2.0 Output (support 4K)	1 (internal)	
USB 2.0	1 (external)	
USB 3.0	1 (external)	
Type C	1 (external)	
3.5 Audio Output	2 (1 internal, 1 external)	
Audio Optical Output	1 (internal)	
RS232 Port	1 (internal)	
RS485 Port	1 (internal)	
Bluetooth	1 (wireless)	
LAN	1 (internal)	

Introduction to button and interface



NO.	Description		
1	Light Sensor		
2	IR		
3	Type C		
4	USB3.0		
5	USB2.0		
6	Menu button (including brightness, color Temperature, contrast, sound, signal		
	source, test mode and Other sub-menus)		
7	Bright/OK (1.When the menu is Not called up, it is the brightness adjustment		
	button,and the + and - keys are used to adjust the brightness; 2.When the		
	menu is called up, it is used as confirm button.)		
8	1.In the brightness adjustment mode,it is the brightness reduction key;		
	2.When the Menu is called up,it is the Down/minus key		
9	1.In the brightness adjustment mode, it is the brightness increase key;		
	2.When the menu Is called up,it is the Up/Add key		
10	Standby/Wake up button		
11	Dual-color indicator light (red/blue)		
12	HDMI input (facedown)		
13	3.5 Audio output port (facedown)		

Introduction to remote control					
Buttoni coni	ntroduction				
Q	Standby/Wake up				
	Up				
	Down				
	Confirm				
	Left				
	Right				
+	Voice +				
-	Voice -				
S	Back				
Ö	Brightness Adjustment				
=	Channel Switch				
a	Main Interface				

Accessories	
Remote Control	1
Front Maintenance Tool	1
Tool kit	1
Wall-mounting Bar	1
Stand	1set (optional)

Packing Dimension		
Item	Dimension	Quantity
Screen Packing Dimension	1634*742*207mm	2
Module Packing Dimension	705*560*165mm	4
Lower Frame Packing Dimension	1430*270*185mm	1
Wall-mounting Bar Packing Dimension	1860*175*140mm	1
Screen And Module Dimension(wooden box)	1680*810*915mm	1
Lower Frame And Wall-mounting Bar Packing Dimension(wooden box)	2160*430*375mm	1

Note:

- ◆ The content of this specification may be adjusted and revised in real time without prior notice to provide as accurate specification parameters as possible.
- ◆ This product is an indoor product. It is strictly prohibited to use it in direct sunlight.
- ◆ In order to ensure long-term and more uniform display effect, do not play fixed images for a long time.

Special Statement

- ◆ Intellectual Property Rights: The hardware design and software programs of this product are protected by copyright. The contents of this product and the manual shall not be copied with out the authorization of the company.
- ◆ The contents of this manual are for reference only and do not constitute a commitment of any kind.
- ◆ The company reserves the right to make improvements and changes to the product design without prior notice
- ◆ Note: HDMI, HDMI HD Multimedia Interface and HDMI logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.