


Product Specification


1. Product Feature



- ✧ Front 2 USB3.0 ports
- ✧ Front 1 physical key
- ✧ Bottom loudspeaker
- ✧ 4K ultra HD display
- ✧ IR (Infrared Ray) touch technology
- ✧ Glass 3 mm
- ✧ Compatible with detachable OPS module & Wireless module
- ✧ Writing double colors with double pens simultaneously
- ✧ 4K UI, 4K Annotation

MAXHUB

2. Dimension



3. Display

Size	86inch
Response Time	8ms
Aspect Ratio	16:9
Display Area	1895.04(H) × 1065.96(V)mm
Pixel Pitch	0.4935 × 0.4935mm
Resolution	3840(H) × 2160(V)
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
NTSC	72%
Contrast Ratio	4000:1
Viewing Angle	178° (H/V)
Back Light Unit	DLED
Brightness with glass (typ)	350cd/m ²
Life Time	≥30000 Hours

MAXHUB

4. Operating System

System Version	Android 11.0
RAM	4G
ROM	32G
CPU	A55 × 4
GPU	Mali-G52 MP2

5. Touch System

Sensing Type	Infrared recognition
Touch Tool	Passive infrared pen
Accuracy	± 1.5mm
Touch Point	40 points touch
Minimum Object Size	3mm
Writing Height	≤ 3mm
Interpolation Resolution	32768(W) × 32768(D)
Response Time	≤ 10ms
System	Windows10/Windows8/Windows7/WindowsXP/ Android/Linux/Mac OS X/Chrome

6. Audio

Sound Channel	2.0
Output Power	2 × 12W

7. Power

Power Requirements	100-240V~50/60Hz 5.0A
Overall Power(Max.)	500W

MAXHUB

Standby Power	≤0.5W
---------------	-------

8. I/O Port

HDMI IN	3
HDMI OUT (optional)	1
USB 2.0	1
USB 3.0	4
USB Type-C	1
TOUCH 2.0	2
VGA IN	1
AUDIO IN	1
AUDIO OUT	1
SPDIF	1
RS232	1
RJ45 IN	1
RJ45 OUT	1

9. Physical Specifications

Dimension L × H × D	1956.7 × 1159.7 × 99.6mm
Dimension (package) L × W × H	2110 × 225 × 1283mm
Thickness of machine and wall mount	129.6mm(WIB9060G)
Wall-hanging Screw Spec	M8 × 25mm
VESA	800 × 600mm
Net Weight	TBD

MAXHUB

Gross Weight	TBD
--------------	-----

10. Accessories

Power Cord	× 1
HDMI Cable	× 1
USB Touch Cable (Type A-B)	× 1
Remote Control	× 1
Writing Pen	× 2

11. Environmental Conditions

Operation Temperature	0°C–40°C
Operation Humidity	10%–90%RH
Storage Temperature	–20°C–60°C
Storage Humidity	10%–90%RH
Altitude	Below 5000 meters

12. Optional Module

PC Module	OPS62A
Wireless Module	SI07B

13. Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product.

The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.

The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.

MAXHUB

Should the above-mentioned change in the document become necessary, the document may be updated without written notice.



NOTICE : The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

MAXHUB