
MAXHUB XCore Kit for Microsoft Teams Rooms

Model: XCore Kit

Elevate your meeting space with the cutting-edge Microsoft Teams Rooms - MAXHUB XCore Kit, a competitively-priced solution designed using a Windows compute and console. This remarkable Kit boasts a powerful Intel 12th Gen 10-Core i3-1220P processor, delivering exceptional performance, and a high-resolution 10.1-inch Teams Rooms console with a motion sensor for an intuitive and immersive user experience. Compatible with Microsoft Teams Rooms, the Kit also helps to facilitate the switch to Microsoft Teams Rooms smart spaces for BYOD scenarios, enhancing Teams-native audio and video experiences while accommodating cost-balance needs.












One Cable Technology



Device Management



Flexible & Ease of Installation



Easy Content Sharing



3-Year Warranty & Local support



Secured and Managed

Product Specification

Type Mini-PC
CPU Intel i3-1220P TDP: 28W
Memory 8GB DDR4 3200MHz SO-DIMM x 2
Optional hard disk 128GB SATA SSD (M.2-2280 SATA3 up to 6Gb/s)
Graphics Intel® UHD Graphics for 12th Gen Intel® Processors;
Chipset ADL PCH-P

Sound Card

Network

Operating system

USB Audio, HS-100B, Cmedia

1000Mbps RJ45

Windows 11 IoT Enterprise SAC

Add one more row

Certifications Microsoft Teams Rooms

Power

Kensington lock slot

Power Supply ModeAC POWERPower Requirements100-240V AC 50/60HzMax Power90W

Accessories (included in the package)		
Wall Bracket	×1	
PC Bracket	×1	
Cable Cover Screw	×2	
Machine Screw	×4	
Expansion Screw	×4	
Self-tapping Screw	×4	
Cable Cover	×1	
HDMI Cable (1.8m/5.9ft)	×1	
Power Cord (1.8m/5.9ft)	×1	

Physical Specifications

Quick Start Guide

 Dimension L × W × H
 230mm × 185mm × 41.5mm / 9.06" x 7.28" x 1.63"

 Dimension (package) L × W × H
 342 × 246 × 146mm / 13.46" x 9.69" x 5.75"

 Net Weigh
 1.36kg / 3lbs

 Gross Weight
 4.36kg / 9.6lbs

×1

Environmental Conditions

Operation Temperature	0°C-40°C / 0°F-104°F
Operation Humidity	10%-90%RH
Storage Temperature	-20°C-60°C / -4°F-140°F
Storage Humidity	10%-90%RH
Altitude	Below 5000m / 196850"

Display

Size10.1 inchResolution1920 (H) x 1200 (V)Frequency Refresh Rate60HzNTSCMin.62%, Typ.65%Back Light UnitELEDBrightness with glassMin.250cd/m², Typ.300cd/m²Life Time≥ 20000 Hours

Touch System

Type Capacitive touch
Touch Tool Finger
Accuracy ± 2mm / 0.08"

Touch Point 10 points touch
Minimum object size 6mm / 0.24"

I/O Port

HDMI INGEST (SCREEN SHARE)

USB-A (USB PERIPHERAL)

USB-C (TO PC)

3.5mm (AUDIO OUT)

1

Physical Specifications

 Dimension L×H×D
 245 × 164.3 × 77.4mm / 9.65" x 6.47" x 3.05"

 Dimension (package) L×W×H
 332 × 246 × 166mm / 13.07" x 9.69" x 6.54"

 Net Weight
 880g / 1.94lbs

 Gross Weight
 2.38kg / 5.25lbs

Accessories (included in the package)

USB Type-C Cable (Type C-C) 5m / 16.4ft ×1
HDMI Cable 1.8m / 5.9ft ×1
Quick Start Guide ×1

Power

Power Requirements15V 3A (Type-C PD)Overall Power (Max.)20WStandby Power≤ 0.5W

Environmental Conditions

Operation Temperature 0°C-40°C / 0°F-104°F
Operation Humidity 10%~90%RH
Storage Temperature -20°C-60°C / -4°F-140°F
Storage Humidity 10%~90%RH
Altitude Below 5000m/ 196850"


XCore Kit Package Includes

- XC13T Mini-PC x1
- TCP20T Touch Control Panel x1

Package Physical Specifications

- Dimension (package) L×W×H 890 x 270 x 265mm / 35.04" x 10.63" x 10.43"
- Net Weight 6.735kg / 14.85lbs
- Gross Weight 8.611kg/ 18.98lbs

Connection



Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with thelatest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.





